

INFORMATION SHEET (PATIENT PARTICIPANT)

A naturalistic observational study of Western herbal medicine practice in self-reported anxiety and depression

WHO IS DOING THE RESEARCH?

Our names are Dr Jon Wardle, David Casteleijn, Michelle Boyd, Diana Bowman and Tina Taylor and we are academics at UTS (JW) and Endeavour College of Natural Health. The project has been funded by a grant from Endeavour College of Natural Health

WHAT IS THIS RESEARCH ABOUT?

This research is to find out about the practice and clinical effects of individualised herbal medicine in self-reported anxiety and depression, as it is practised by naturopaths.

IF I SAY YES, WHAT WILL IT INVOLVE?

Your practitioner will ask on our behalf that you fill out four forms initially (one demographic form and three assessment questionnaires), and three forms (the assessment questionnaires only) at the next two follow-up consultations. These forms will take about 15 minutes to complete. Practitioners will also provide detailed information about the herbal medicine treatment provided to you at each consultation. You will receive your herbal prescription free of charge, but will pay for your consultation, as per usual. Your treatment will not be changed due to involvement in this study, as the research is evaluating practice as it occurs in 'real world' settings. Results may be used to inform future research studies.

ARE THERE ANY RISKS/INCONVENIENCE?

Yes, there are some risks/inconvenience. The research will take some of your time. You may be asked some questions that make you feel embarrassed or uncomfortable. There are really very few risks because the research has been carefully designed. Patient treatment will not change because of involvement in this study, as we are seeking to test the therapies as they are practised in the 'real world'.

WHY HAVE I BEEN ASKED?

You are able to give me the information I need to find out about the practice and effects of individualised herbal medicine treatment because you are a patient seeking naturopathic treatment for self-reported depression and/or anxiety.

DO I HAVE TO SAY YES?

You don't have to say yes.

WHAT WILL HAPPEN IF I SAY NO?

Nothing. I will thank you for your time so far and won't contact you about this research again.

IF I SAY YES, CAN I CHANGE MY MIND LATER?

You can change your mind at any time and you don't have to say why. I will thank you for your time so far and won't contact you about this research again.

WHAT IF I HAVE CONCERNS OR A COMPLAINT?

If you have concerns about the research that you think we can help you with, please feel free to contact us on jon.wardle@uts.edu.au or 02 9514 4813.

If you would like to talk to someone who is not connected with the research, you may contact the UTS Research Ethics Officer on 02 9514 9772, and quote this number (UTS HREC 201400809; ECNH HREC 2015072)

PARTICIPANT CONSENT FORM

***A naturalistic observational study of Western herbal medicine practice
in self-reported anxiety and depression***

I _____ (participant's name) agree to participate in the above research project (UTS HREC: 2014000809; ECNH HREC 2015072) being conducted by Dr Jon Wardle of the Faculty of Health, University of Technology Sydney and David Casteleijn, Michelle Boyd, Diana Bowman and Tina Taylor of the Endeavour College of Natural Health (ph: 02 9514 4813).

I understand that the purpose of this study is to evaluate the practice, safety and efficacy of individualised herbal medicine practice (by naturopaths) for self-reported anxiety and depression.

I understand that I have been asked to participate in this research because I am a patient seeking herbal treatment from a practising naturopathic practitioner for depression and/or anxiety. I understand that my participation in this research will involve filling out assessment forms at each consultation, which will be handed to my practitioner in a sealed envelope. I understand that my practitioner will treat me as they would had I not been involved in this study. I understand that I will be responsible for consultation costs of my treatment, but that due to my involvement in this study I will incur no cost for my prescription. I understand that all information from the group will be de-identified for research purposes. I understand that this study has been funded by the Endeavour College of Natural Health

I am aware that I can contact UTS HREC or my practitioner if I have any concerns about the research. I also understand that I am free to withdraw my participation from this research project at any time I wish, without consequences, and without giving a reason.

I agree that the practitioner has answered all my questions fully and clearly.

I agree that the research data gathered from this project may be published in a form that identifies me /does not identify me in any way.

Signature (participant)

____/____/____

Signature (research project practitioner)

____/____/____

NOTE:

This study has been approved by the University of Technology, Sydney Human Research Ethics Committee. If you have any complaints or reservations about any aspect of your participation in this research which you cannot resolve with the researcher, you may contact the Ethics Committee through the Research Ethics Officer (ph: +61 2 9514 9772 Research.Ethics@uts.edu.au), and quote the UTS HREC reference number. Any complaint you make will be treated in confidence and investigated fully and you will be informed of the outcome.

Demographics & Background

Patient ID

A	
Name: _____	Age: _____ <i>years</i> / DOB: _____
Phone number: _____	Marital Status: <input type="checkbox"/> Single; <input type="checkbox"/> Married/partnered;
Address: _____	<input type="checkbox"/> Separated/Divorced; <input type="checkbox"/> Widowed
_____	General Practitioner: _____
_____	_____
<input type="checkbox"/> Male <input type="checkbox"/> Female	(Phone): _____
Heard about program: _____	
B Education and Work Background	
Primary School Yes / No	
High School To the end of year _____	
University Degree..... Yes / No (If yes, ____ semesters completed of _____ course)	
Postgraduate Study Yes / No (If yes, ____ semesters completed of _____ course)	
College certificate or diploma Yes / No (If yes, ____ semesters completed of _____ course)	
Trade Yes / No (If yes, ____ years of _____ trade)	
Other..... ____ years of _____	
<input type="checkbox"/> Employment fulltime <input type="checkbox"/> Employment part-time, <input type="checkbox"/> Studying fulltime, <input type="checkbox"/> Studying part-time,	
<input type="checkbox"/> Home duties, <input type="checkbox"/> Unemployed, <input type="checkbox"/> Pensioner/Benefit	

Please remove this front sheet and store separately for de-identification purposes

Patient ID

Medical and Physical History

1a Have you ever been diagnosed with depression or anxiety? <input type="checkbox"/> yes <input type="checkbox"/> no [When _____]	
1b Are you presently receiving treatment for depression or anxiety? <input type="checkbox"/> yes (fill in details below) <input type="checkbox"/> no Treatment type & dose: _____	
1c. Have you had any major illnesses or medical conditions over the course of your lifetime? e.g. Diabetes, Glandular Fever, Arthritis, High blood pressure, High Cholesterol.	<input type="checkbox"/> Yes <input type="checkbox"/> No
1d. If yes, please provide details. Condition: _____ Date of diagnosis: _____ Condition: _____ Date of diagnosis: _____ Condition: _____ Date of diagnosis: _____ Condition: _____ Date of diagnosis: _____ Condition: _____ Date of diagnosis: _____ Condition: _____ Date of diagnosis: _____	
2a. Have you ever been hospitalised for medical / physical reasons?	<input type="checkbox"/> Yes <input type="checkbox"/> No
2b. If yes, please provide details: Reason for hospitalisation: _____ Date of hospitalisation: (please approximate if unsure) _____ Length of hospitalisation: (please approximate if unsure) _____ Reason for hospitalisation: _____ Date of hospitalisation: (please approximate if unsure) _____ Length of hospitalisation: (please approximate if unsure) _____ Reason for hospitalisation: _____ Date of hospitalisation: (please approximate if unsure) _____ Length of hospitalisation: (please approximate if unsure) _____ Reason for hospitalisation: _____ Date of hospitalisation: (please approximate if unsure) _____ Length of hospitalisation: (please approximate if unsure) _____	

3a. Are you currently on any type of medication (other than for depression or anxiety)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
3b. If yes, please provide details: Type_____ Dosage_____ Duration_____ Type_____ Dosage_____ Duration_____ Type_____ Dosage_____ Duration_____ Type_____ Dosage_____ Duration_____	
4a. Do you have any medical / physical disabilities?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Disability: _____ Date diagnosed: _____ Disability: _____ Date diagnosed: _____ Disability: _____ Date diagnosed: _____	
5a. When was your last general check up with your GP? _____ days ago OR _____ weeks ago OR _____ months ago OR _____ years ago	
5b. At your last appointment with your GP, did he/she identify any medical / physical problems?	<input type="checkbox"/> Yes <input type="checkbox"/> No
5c. If yes, please provide details: _____ _____ _____ _____	

DASS 21 NAME _____ DATE _____

Please read each statement and circle a number 0, 1, 2 or 3 which indicates how much the statement applied to you over the past week. There are no right or wrong answers. Do not spend too much time on any statement.

The rating scale is as follows:

- 0 Did not apply to me at all - NEVER
- 1 Applied to me to some degree, or some of the time - SOMETIMES
- 2 Applied to me to a considerable degree, or a good part of time - OFTEN
- 3 Applied to me very much, or most of the time - ALMOST ALWAYS

FOR OFFICE USE

		N	S	O	AA	D	A	S
1	I found it hard to wind down	0	1	2	3			
2	I was aware of dryness of my mouth	0	1	2	3			
3	I couldn't seem to experience any positive feeling at all	0	1	2	3			
4	I experienced breathing difficulty (eg, excessively rapid breathing, breathlessness in the absence of physical exertion)	0	1	2	3			
5	I found it difficult to work up the initiative to do things	0	1	2	3			
6	I tended to over-react to situations	0	1	2	3			
7	I experienced trembling (eg, in the hands)	0	1	2	3			
8	I felt that I was using a lot of nervous energy	0	1	2	3			
9	I was worried about situations in which I might panic and make a fool of myself	0	1	2	3			
10	I felt that I had nothing to look forward to	0	1	2	3			
11	I found myself getting agitated	0	1	2	3			
12	I found it difficult to relax	0	1	2	3			
13	I felt down-hearted and blue	0	1	2	3			
14	I was intolerant of anything that kept me from getting on with what I was doing	0	1	2	3			
15	I felt I was close to panic	0	1	2	3			
16	I was unable to become enthusiastic about anything	0	1	2	3			
17	I felt I wasn't worth much as a person	0	1	2	3			
18	I felt that I was rather touchy	0	1	2	3			
19	I was aware of the action of my heart in the absence of physical exertion (eg, sense of heart rate increase, heart missing a beat)	0	1	2	3			
20	I felt scared without any good reason	0	1	2	3			
21	I felt that life was meaningless	0	1	2	3			
TOTALS								

DASS Severity Ratings

The DASS is a **quantitative** measure of distress along the 3 axes of depression, anxiety¹ and stress². It is not a categorical measure of clinical diagnoses.

Emotional syndromes like depression and anxiety are intrinsically dimensional - they vary along a continuum of severity (independent of the specific diagnosis). Hence the selection of a single cut-off score to represent clinical severity is necessarily arbitrary. A scale such as the DASS can lead to a useful assessment of **disturbance**, for example individuals who may fall short of a clinical cut-off for a specific diagnosis can be correctly recognised as experiencing considerable symptoms and as being at high risk of further problems.

However for clinical purposes it can be helpful to have 'labels' to characterise degree of severity relative to the population. Thus the following cut-off scores have been developed for defining mild/moderate/severe/extremely severe scores for each DASS scale.

Note: the severity labels are used to describe the full range of scores in the population, so 'mild' for example means that the person is above the population mean but probably still way below the typical severity of someone seeking help (ie it does not mean a mild level of disorder).

The individual DASS scores do not define appropriate interventions. They should be used in conjunction with all clinical information available to you in determining appropriate treatment for any individual.

¹Symptoms of psychological arousal

²The more cognitive, subjective symptoms of anxiety

DASS 21 SCORE

DEPRESSION SCORE	ANXIETY SCORE	STRESS SCORE
---------------------	------------------	-----------------

--	--	--

	Depression	Anxiety	Stress
Normal	0 - 4	0 - 3	0 - 7
Mild	5 - 6	4 - 5	8 - 9
Moderate	7 - 10	6 - 7	10 - 12
Severe	11 - 13	8 - 9	13 - 16
Extremely Severe	14 +	10 +	17 +

N.B. Please note that there are differences in scoring between this measure and the DASS 21 as published on the DASS website <http://www2.psy.unsw.edu.au/groups/dass/>

Study ID:
Date:

THE GENERAL HEALTH QUESTIONNAIRE GHQ28

Please read this carefully.

We should like to know if you have had any medical complaints and how your health has been in general, *over the past few weeks*. Please answer ALL the questions on the following pages simply by underlining the answer which you think most nearly applies to you. Remember that we want to know about present and recent complaints, not those that you had in the past.

It is important that you try to answer ALL the questions.

Thank you very much for your co-operation.

Have you recently

A1	been feeling perfectly well and in good health?	Better than usual	Same as usual	Worse than usual	Much worse than usual
A2	been feeling in need of a good tonic?	Not at all	No more than usual	Rather more than usual	Much more than usual
A3	been feeling run down and out of sorts?	Not at all	No more than usual	Rather more than usual	Much more than usual
A4	felt that you are ill?	Not at all	No more than usual	Rather more than usual	Much more than usual
A5	been getting any pains in your head?	Not at all	No more than usual	Rather more than usual	Much more than usual
A6	been getting a feeling of tightness or pressure in your head?	Not at all	No more than usual	Rather more than usual	Much more than usual
A7	been having hot or cold spells?	Not at all	No more than usual	Rather more than usual	Much more than usual

B1	lost much sleep over worry?	Not at all	No more than usual	Rather more than usual	Much more than usual
B2	had difficulty in staying asleep once you are off?	Not at all	No more than usual	Rather more than usual	Much more than usual
B3	felt constantly under strain?	Not at all	No more than usual	Rather more than usual	Much more than usual
B4	been getting edgy and bad-tempered?	Not at all	No more than usual	Rather more than usual	Much more than usual
B5	been getting scared or panicky for no good reason?	Not at all	No more than usual	Rather more than usual	Much more than usual
B6	found everything getting on top of you?	Not at all	No more than usual	Rather more than usual	Much more than usual
B7	been feeling nervous and strung-up all the time?	Not at all	No more than usual	Rather more than usual	Much more than usual

Please turn over

Have you recently

C1	been managing to keep yourself busy and occupied?	More so than usual	Same as usual	Rather less than usual	Much less than usual
C2	been taking longer over the things you do?	Quicker than usual	Same as usual	Longer than usual	Much longer than usual
C3	felt on the whole you were doing things well?	Better than usual	About the same	Less well than usual	Much less well
C4	been satisfied with the way you've carried out your task?	More satisfied	About same as usual	Less satisfied than usual	Much less satisfied
C5	felt that you are playing a useful part in things?	More so than usual	Same as usual	Less useful than usual	Much less useful
C6	felt capable of making decisions about things?	More so than usual	Same as usual	Less so than usual	Much less capable
C7	been able to enjoy your normal day-to-day activities?	More so than usual	Same as usual	Less so than usual	Much less than usual

D1	been thinking of yourself as a worthless person?	Not at all	No more than usual	Rather more than usual	Much more than usual
D2	felt that life is entirely hopeless?	Not at all	No more than usual	Rather more than usual	Much more than usual
D3	felt that life isn't worth living?	Not at all	No more than usual	Rather more than usual	Much more than usual
D4	thought of the possibility that you might make away with yourself?	Definitely not	I don't think so	Has crossed my mind	Definitely have
D5	found at times you couldn't do anything because your nerves were too bad?	Not at all	No more than usual	Rather more than usual	Much more than usual
D6	found yourself wishing you were dead and away from it all?	Not at all	No more than usual	Rather more than usual	Much more than usual
D7	found that the idea of taking your own life kept coming into your mind?	Definitely not	I don't think so	Has crossed my mind	Definitely has

A

B

C

D

Total

Profile of Mood States

Date _____

Subject Code No. _____

Directions: Describe HOW YOU FEEL RIGHT NOW by checking one space after each of the words listed below:

FEELING	Not at all	A little	Mod.	Quite a bit	Extremely
Friendly	1	2	3	4	5
Tense	1	2	3	4	5
Angry	1	2	3	4	5
Worn Out	1	2	3	4	5
Unhappy	1	2	3	4	5
Clear-headed	1	2	3	4	5
Lively	1	2	3	4	5
Confused	1	2	3	4	5
Sorry for things done	1	2	3	4	5
Shaky	1	2	3	4	5
Listless	1	2	3	4	5
Peeved	1	2	3	4	5
Considerate	1	2	3	4	5
Sad	1	2	3	4	5
Active	1	2	3	4	5
On edge	1	2	3	4	5
Grouchy	1	2	3	4	5
Blue	1	2	3	4	5
Energetic	1	2	3	4	5
Panicky	1	2	3	4	5
Hopeless	1	2	3	4	5
Relaxed	1	2	3	4	5
Unworthy	1	2	3	4	5
Spiteful	1	2	3	4	5
Sympathetic	1	2	3	4	5
Uneasy	1	2	3	4	5
Restless	1	2	3	4	5
Unable to concentrate	1	2	3	4	5
Fatigued	1	2	3	4	5

FEELING	Not at all	A little	Mod.	Quite a bit	Extremely
Helpful	1	2	3	4	5
Annoyed	1	2	3	4	5
Discouraged	1	2	3	4	5
Resentful	1	2	3	4	5
Nervous	1	2	3	4	5
Lonely	1	2	3	4	5
Miserable	1	2	3	4	5
Muddled	1	2	3	4	5
Cheerful	1	2	3	4	5
Bitter	1	2	3	4	5
Exhausted	1	2	3	4	5
Anxious	1	2	3	4	5
Ready to fight	1	2	3	4	5
Good-natured	1	2	3	4	5
Gloomy	1	2	3	4	5
Desperate	1	2	3	4	5
Sluggish	1	2	3	4	5
Rebellious	1	2	3	4	5
Helpless	1	2	3	4	5
Weary	1	2	3	4	5
Bewildered	1	2	3	4	5
Alert	1	2	3	4	5
Deceived	1	2	3	4	5
Furious	1	2	3	4	5
Effacious	1	2	3	4	5
Trusting	1	2	3	4	5
Full of pep	1	2	3	4	5
Bad-tempered	1	2	3	4	5
Worthless	1	2	3	4	5
Forgetful	1	2	3	4	5
Carefree	1	2	3	4	5
Terrified	1	2	3	4	5
Guilty	1	2	3	4	5
Vigorous	1	2	3	4	5
Uncertain about things	1	2	3	4	5
Bushed	1	2	3	4	5

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

Please read each question and assess your feelings, for the **last two weeks**, and **circle the number on the scale for each question that gives the best answer for you**

	Excellent	Very good	Good	Fair	Poor
1. In general, would you say your health is:	1	2	3	4	5

2. Compared to one year ago , how would you rate your health in general now ?	
Much better now than one year ago	1
Somewhat better now than one year ago	2
About the same	3
Somewhat worse now than one year ago	4
Much worse now than one year ago	5

The following items are about activities you might do during a typical day. Does **your health now limit you** in these activities? If so, how much?

(Circle One Number on Each Line)

	Yes, Limited a Lot	Yes, Limited a Little	No, Not limited at All
3. Vigorous activities , such as running, lifting heavy objects, participating in strenuous sports	[1]	[2]	[3]
4. Moderate activities , such as moving a table, pushing a vacuum cleaner, bowling, or playing golf	[1]	[2]	[3]
5. Lifting or carrying groceries	[1]	[2]	[3]
6. Climbing several flights of stairs	[1]	[2]	[3]
7. Climbing one flight of stairs	[1]	[2]	[3]
8. Bending, kneeling, or stooping	[1]	[2]	[3]
9. Walking more than a mile	[1]	[2]	[3]
10. Walking several blocks	[1]	[2]	[3]
11. Walking one block	[1]	[2]	[3]

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

12. Bathing or dressing yourself	[1]	[2]	[3]
----------------------------------	-----	-----	-----

During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health**?

(Circle One Number on Each Line)

	Yes	No
13. Cut down the amount of time you spent on work or other activities	1	2
14. Accomplished less than you would like	1	2
15. Were limited in the kind of work or other activities	1	2
16. Had difficulty performing the work or other activities (for example, it took extra effort)	1	2

During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)? (Circle One Number on Each Line)

	Yes	No
17. Cut down the amount of time you spent on work or other activities	1	2
18. Accomplished less than you would like	1	2
19. Didn't do work or other activities as carefully as usual	1	2

20. During the **past 4 weeks**, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

(Circle One Number)

Not at all 1

Slightly 2

Moderately 3

Quite a bit 4

Extremely 5

21. How much **bodily** pain have you had during the **past 4 weeks**?

(Circle One Number)

None 1

Very mild 2

Mild 3

Moderate 4

Severe 5

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

Very severe 6

22. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)?

(Circle One Number)

Not at all 1

A little bit 2

Moderately 3

Quite a bit 4

Extremely 5

These questions are about how you feel and how things have been with you **during the past 4 weeks**. For each question, please give the one answer that comes closest to the way you have been feeling.

How much of the time during the **past 4 weeks** . . .**(Circle One Number on Each Line)**

	All of the Time	Most of the Time	A Good Bit of the Time	Some of the Time	A Little of the Time	None of the Time
23. Did you feel full of pep?	1	2	3	4	5	6
24. Have you been a very nervous person?	1	2	3	4	5	6
25. Have you felt so down in the dumps that nothing could cheer you up?	1	2	3	4	5	6
26. Have you felt calm and peaceful?	1	2	3	4	5	6
27. Did you have a lot of energy?	1	2	3	4	5	6
28. Have you felt downhearted and blue?	1	2	3	4	5	6
29. Did you feel worn out?	1	2	3	4	5	6
30. Have you been a happy person?	1	2	3	4	5	6
31. Did you feel tired?	1	2	3	4	5	6

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

32. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)?

(Circle One Number)

All of the time 1

Most of the time 2

Some of the time 3

A little of the time 4

None of the time 5

How TRUE or FALSE is each of the following statements for you.

(Circle One Number on Each Line)

	Definitely True	Mostly True	Don't Know	Mostly False	Definitely False
33. I seem to get sick a little easier than other people	1	2	3	4	5
34. I am as healthy as anybody I know	1	2	3	4	5
35. I expect my health to get worse	1	2	3	4	5
36. My health is excellent	1	2	3	4	5

STUDY ID: _____ DATE: _____

Initial visit	Follow-up 1	Follow-up 2
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

Please mark constituents of a combination tincture with a *

[illegible]

DASS 21 NAME _____ DATE _____

Please read each statement and circle a number 0, 1, 2 or 3 which indicates how much the statement applied to you over the past week. There are no right or wrong answers. Do not spend too much time on any statement.

The rating scale is as follows:

- 0 Did not apply to me at all - NEVER
- 1 Applied to me to some degree, or some of the time - SOMETIMES
- 2 Applied to me to a considerable degree, or a good part of time - OFTEN
- 3 Applied to me very much, or most of the time - ALMOST ALWAYS

FOR OFFICE USE

		N	S	O	AA	D	A	S
1	I found it hard to wind down	0	1	2	3			
2	I was aware of dryness of my mouth	0	1	2	3			
3	I couldn't seem to experience any positive feeling at all	0	1	2	3			
4	I experienced breathing difficulty (eg, excessively rapid breathing, breathlessness in the absence of physical exertion)	0	1	2	3			
5	I found it difficult to work up the initiative to do things	0	1	2	3			
6	I tended to over-react to situations	0	1	2	3			
7	I experienced trembling (eg, in the hands)	0	1	2	3			
8	I felt that I was using a lot of nervous energy	0	1	2	3			
9	I was worried about situations in which I might panic and make a fool of myself	0	1	2	3			
10	I felt that I had nothing to look forward to	0	1	2	3			
11	I found myself getting agitated	0	1	2	3			
12	I found it difficult to relax	0	1	2	3			
13	I felt down-hearted and blue	0	1	2	3			
14	I was intolerant of anything that kept me from getting on with what I was doing	0	1	2	3			
15	I felt I was close to panic	0	1	2	3			
16	I was unable to become enthusiastic about anything	0	1	2	3			
17	I felt I wasn't worth much as a person	0	1	2	3			
18	I felt that I was rather touchy	0	1	2	3			
19	I was aware of the action of my heart in the absence of physical exertion (eg, sense of heart rate increase, heart missing a beat)	0	1	2	3			
20	I felt scared without any good reason	0	1	2	3			
21	I felt that life was meaningless	0	1	2	3			
TOTALS								

DASS Severity Ratings

The DASS is a **quantitative** measure of distress along the 3 axes of depression, anxiety¹ and stress². It is not a categorical measure of clinical diagnoses.

Emotional syndromes like depression and anxiety are intrinsically dimensional - they vary along a continuum of severity (independent of the specific diagnosis). Hence the selection of a single cut-off score to represent clinical severity is necessarily arbitrary. A scale such as the DASS can lead to a useful assessment of **disturbance**, for example individuals who may fall short of a clinical cut-off for a specific diagnosis can be correctly recognised as experiencing considerable symptoms and as being at high risk of further problems.

However for clinical purposes it can be helpful to have 'labels' to characterise degree of severity relative to the population. Thus the following cut-off scores have been developed for defining mild/moderate/severe/extremely severe scores for each DASS scale.

Note: the severity labels are used to describe the full range of scores in the population, so 'mild' for example means that the person is above the population mean but probably still way below the typical severity of someone seeking help (ie it does not mean a mild level of disorder).

The individual DASS scores do not define appropriate interventions. They should be used in conjunction with all clinical information available to you in determining appropriate treatment for any individual.

¹Symptoms of psychological arousal

²The more cognitive, subjective symptoms of anxiety

DASS 21 SCORE

DEPRESSION SCORE	ANXIETY SCORE	STRESS SCORE
---------------------	------------------	-----------------

--	--	--

	Depression	Anxiety	Stress
Normal	0 - 4	0 - 3	0 - 7
Mild	5 - 6	4 - 5	8 - 9
Moderate	7 - 10	6 - 7	10 - 12
Severe	11 - 13	8 - 9	13 - 16
Extremely Severe	14 +	10 +	17 +

N.B. Please note that there are differences in scoring between this measure and the DASS 21 as published on the DASS website <http://www2.psy.unsw.edu.au/groups/dass/>

Study ID:
Date:

THE GENERAL HEALTH QUESTIONNAIRE GHQ28

Please read this carefully.

We should like to know if you have had any medical complaints and how your health has been in general, *over the past few weeks*. Please answer ALL the questions on the following pages simply by underlining the answer which you think most nearly applies to you. Remember that we want to know about present and recent complaints, not those that you had in the past.

It is important that you try to answer ALL the questions.

Thank you very much for your co-operation.

Have you recently

A1	been feeling perfectly well and in good health?	Better than usual	Same as usual	Worse than usual	Much worse than usual
A2	been feeling in need of a good tonic?	Not at all	No more than usual	Rather more than usual	Much more than usual
A3	been feeling run down and out of sorts?	Not at all	No more than usual	Rather more than usual	Much more than usual
A4	felt that you are ill?	Not at all	No more than usual	Rather more than usual	Much more than usual
A5	been getting any pains in your head?	Not at all	No more than usual	Rather more than usual	Much more than usual
A6	been getting a feeling of tightness or pressure in your head?	Not at all	No more than usual	Rather more than usual	Much more than usual
A7	been having hot or cold spells?	Not at all	No more than usual	Rather more than usual	Much more than usual

B1	lost much sleep over worry?	Not at all	No more than usual	Rather more than usual	Much more than usual
B2	had difficulty in staying asleep once you are off?	Not at all	No more than usual	Rather more than usual	Much more than usual
B3	felt constantly under strain?	Not at all	No more than usual	Rather more than usual	Much more than usual
B4	been getting edgy and bad-tempered?	Not at all	No more than usual	Rather more than usual	Much more than usual
B5	been getting scared or panicky for no good reason?	Not at all	No more than usual	Rather more than usual	Much more than usual
B6	found everything getting on top of you?	Not at all	No more than usual	Rather more than usual	Much more than usual
B7	been feeling nervous and strung-up all the time?	Not at all	No more than usual	Rather more than usual	Much more than usual

Please turn over

Have you recently

C1	been managing to keep yourself busy and occupied?	More so than usual	Same as usual	Rather less than usual	Much less than usual
C2	been taking longer over the things you do?	Quicker than usual	Same as usual	Longer than usual	Much longer than usual
C3	felt on the whole you were doing things well?	Better than usual	About the same	Less well than usual	Much less well
C4	been satisfied with the way you've carried out your task?	More satisfied	About same as usual	Less satisfied than usual	Much less satisfied
C5	felt that you are playing a useful part in things?	More so than usual	Same as usual	Less useful than usual	Much less useful
C6	felt capable of making decisions about things?	More so than usual	Same as usual	Less so than usual	Much less capable
C7	been able to enjoy your normal day-to-day activities?	More so than usual	Same as usual	Less so than usual	Much less than usual

D1	been thinking of yourself as a worthless person?	Not at all	No more than usual	Rather more than usual	Much more than usual
D2	felt that life is entirely hopeless?	Not at all	No more than usual	Rather more than usual	Much more than usual
D3	felt that life isn't worth living?	Not at all	No more than usual	Rather more than usual	Much more than usual
D4	thought of the possibility that you might make away with yourself?	Definitely not	I don't think so	Has crossed my mind	Definitely have
D5	found at times you couldn't do anything because your nerves were too bad?	Not at all	No more than usual	Rather more than usual	Much more than usual
D6	found yourself wishing you were dead and away from it all?	Not at all	No more than usual	Rather more than usual	Much more than usual
D7	found that the idea of taking your own life kept coming into your mind?	Definitely not	I don't think so	Has crossed my mind	Definitely has

A

B

C

D

Total

Profile of Mood States

Date _____

Subject Code No. _____

Directions: Describe HOW YOU FEEL RIGHT NOW by checking one space after each of the words listed below:

FEELING	Not at all	A little	Mod.	Quite a bit	Extremely
Friendly	1	2	3	4	5
Tense	1	2	3	4	5
Angry	1	2	3	4	5
Worn Out	1	2	3	4	5
Unhappy	1	2	3	4	5
Clear-headed	1	2	3	4	5
Lively	1	2	3	4	5
Confused	1	2	3	4	5
Sorry for things done	1	2	3	4	5
Shaky	1	2	3	4	5
Listless	1	2	3	4	5
Peeved	1	2	3	4	5
Considerate	1	2	3	4	5
Sad	1	2	3	4	5
Active	1	2	3	4	5
On edge	1	2	3	4	5
Grouchy	1	2	3	4	5
Blue	1	2	3	4	5
Energetic	1	2	3	4	5
Panicky	1	2	3	4	5
Hopeless	1	2	3	4	5
Relaxed	1	2	3	4	5
Unworthy	1	2	3	4	5
Spiteful	1	2	3	4	5
Sympathetic	1	2	3	4	5
Uneasy	1	2	3	4	5
Restless	1	2	3	4	5
Unable to concentrate	1	2	3	4	5
Fatigued	1	2	3	4	5

FEELING	Not at all	A little	Mod.	Quite a bit	Extremely
Helpful	1	2	3	4	5
Annoyed	1	2	3	4	5
Discouraged	1	2	3	4	5
Resentful	1	2	3	4	5
Nervous	1	2	3	4	5
Lonely	1	2	3	4	5
Miserable	1	2	3	4	5
Muddled	1	2	3	4	5
Cheerful	1	2	3	4	5
Bitter	1	2	3	4	5
Exhausted	1	2	3	4	5
Anxious	1	2	3	4	5
Ready to fight	1	2	3	4	5
Good-natured	1	2	3	4	5
Gloomy	1	2	3	4	5
Desperate	1	2	3	4	5
Sluggish	1	2	3	4	5
Rebellious	1	2	3	4	5
Helpless	1	2	3	4	5
Weary	1	2	3	4	5
Bewildered	1	2	3	4	5
Alert	1	2	3	4	5
Deceived	1	2	3	4	5
Furious	1	2	3	4	5
Effacious	1	2	3	4	5
Trusting	1	2	3	4	5
Full of pep	1	2	3	4	5
Bad-tempered	1	2	3	4	5
Worthless	1	2	3	4	5
Forgetful	1	2	3	4	5
Carefree	1	2	3	4	5
Terrified	1	2	3	4	5
Guilty	1	2	3	4	5
Vigorous	1	2	3	4	5
Uncertain about things	1	2	3	4	5
Bushed	1	2	3	4	5

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

Please read each question and assess your feelings, for the **last two weeks**, and **circle the number on the scale for each question that gives the best answer for you**

	Excellent	Very good	Good	Fair	Poor
1. In general, would you say your health is:	1	2	3	4	5

2. Compared to one year ago , how would you rate your health in general now ?	
Much better now than one year ago	1
Somewhat better now than one year ago	2
About the same	3
Somewhat worse now than one year ago	4
Much worse now than one year ago	5

The following items are about activities you might do during a typical day. Does **your health now limit you** in these activities? If so, how much?

(Circle One Number on Each Line)

	Yes, Limited a Lot	Yes, Limited a Little	No, Not limited at All
3. Vigorous activities , such as running, lifting heavy objects, participating in strenuous sports	[1]	[2]	[3]
4. Moderate activities , such as moving a table, pushing a vacuum cleaner, bowling, or playing golf	[1]	[2]	[3]
5. Lifting or carrying groceries	[1]	[2]	[3]
6. Climbing several flights of stairs	[1]	[2]	[3]
7. Climbing one flight of stairs	[1]	[2]	[3]
8. Bending, kneeling, or stooping	[1]	[2]	[3]
9. Walking more than a mile	[1]	[2]	[3]
10. Walking several blocks	[1]	[2]	[3]
11. Walking one block	[1]	[2]	[3]

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

12. Bathing or dressing yourself	[1]	[2]	[3]
----------------------------------	-----	-----	-----

During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health**?

(Circle One Number on Each Line)

	Yes	No
13. Cut down the amount of time you spent on work or other activities	1	2
14. Accomplished less than you would like	1	2
15. Were limited in the kind of work or other activities	1	2
16. Had difficulty performing the work or other activities (for example, it took extra effort)	1	2

During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)? (Circle One Number on Each Line)

	Yes	No
17. Cut down the amount of time you spent on work or other activities	1	2
18. Accomplished less than you would like	1	2
19. Didn't do work or other activities as carefully as usual	1	2

20. During the **past 4 weeks**, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

(Circle One Number)

Not at all 1

Slightly 2

Moderately 3

Quite a bit 4

Extremely 5

21. How much **bodily** pain have you had during the **past 4 weeks**?

(Circle One Number)

None 1

Very mild 2

Mild 3

Moderate 4

Severe 5

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

Very severe 6

22. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)?

(Circle One Number)

Not at all 1

A little bit 2

Moderately 3

Quite a bit 4

Extremely 5

These questions are about how you feel and how things have been with you **during the past 4 weeks**. For each question, please give the one answer that comes closest to the way you have been feeling.

How much of the time during the **past 4 weeks** . . .**(Circle One Number on Each Line)**

	All of the Time	Most of the Time	A Good Bit of the Time	Some of the Time	A Little of the Time	None of the Time
23. Did you feel full of pep?	1	2	3	4	5	6
24. Have you been a very nervous person?	1	2	3	4	5	6
25. Have you felt so down in the dumps that nothing could cheer you up?	1	2	3	4	5	6
26. Have you felt calm and peaceful?	1	2	3	4	5	6
27. Did you have a lot of energy?	1	2	3	4	5	6
28. Have you felt downhearted and blue?	1	2	3	4	5	6
29. Did you feel worn out?	1	2	3	4	5	6
30. Have you been a happy person?	1	2	3	4	5	6
31. Did you feel tired?	1	2	3	4	5	6

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

32. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)?

(Circle One Number)

All of the time 1

Most of the time 2

Some of the time 3

A little of the time 4

None of the time 5

How TRUE or FALSE is each of the following statements for you.

(Circle One Number on Each Line)

	Definitely True	Mostly True	Don't Know	Mostly False	Definitely False
33. I seem to get sick a little easier than other people	1	2	3	4	5
34. I am as healthy as anybody I know	1	2	3	4	5
35. I expect my health to get worse	1	2	3	4	5
36. My health is excellent	1	2	3	4	5

STUDY ID: _____ DATE: _____

Initial visit	Follow-up 1	Follow-up 2
---------------	-------------	-------------

Please mark constituents of a combination tincture with a *

[illegible]

DASS 21 NAME _____ DATE _____

Please read each statement and circle a number 0, 1, 2 or 3 which indicates how much the statement applied to you over the past week. There are no right or wrong answers. Do not spend too much time on any statement.

The rating scale is as follows:

- 0 Did not apply to me at all - NEVER
- 1 Applied to me to some degree, or some of the time - SOMETIMES
- 2 Applied to me to a considerable degree, or a good part of time - OFTEN
- 3 Applied to me very much, or most of the time - ALMOST ALWAYS

FOR OFFICE USE

		N	S	O	AA	D	A	S
1	I found it hard to wind down	0	1	2	3			
2	I was aware of dryness of my mouth	0	1	2	3			
3	I couldn't seem to experience any positive feeling at all	0	1	2	3			
4	I experienced breathing difficulty (eg, excessively rapid breathing, breathlessness in the absence of physical exertion)	0	1	2	3			
5	I found it difficult to work up the initiative to do things	0	1	2	3			
6	I tended to over-react to situations	0	1	2	3			
7	I experienced trembling (eg, in the hands)	0	1	2	3			
8	I felt that I was using a lot of nervous energy	0	1	2	3			
9	I was worried about situations in which I might panic and make a fool of myself	0	1	2	3			
10	I felt that I had nothing to look forward to	0	1	2	3			
11	I found myself getting agitated	0	1	2	3			
12	I found it difficult to relax	0	1	2	3			
13	I felt down-hearted and blue	0	1	2	3			
14	I was intolerant of anything that kept me from getting on with what I was doing	0	1	2	3			
15	I felt I was close to panic	0	1	2	3			
16	I was unable to become enthusiastic about anything	0	1	2	3			
17	I felt I wasn't worth much as a person	0	1	2	3			
18	I felt that I was rather touchy	0	1	2	3			
19	I was aware of the action of my heart in the absence of physical exertion (eg, sense of heart rate increase, heart missing a beat)	0	1	2	3			
20	I felt scared without any good reason	0	1	2	3			
21	I felt that life was meaningless	0	1	2	3			
TOTALS								

DASS Severity Ratings

The DASS is a **quantitative** measure of distress along the 3 axes of depression, anxiety¹ and stress². It is not a categorical measure of clinical diagnoses.

Emotional syndromes like depression and anxiety are intrinsically dimensional - they vary along a continuum of severity (independent of the specific diagnosis). Hence the selection of a single cut-off score to represent clinical severity is necessarily arbitrary. A scale such as the DASS can lead to a useful assessment of **disturbance**, for example individuals who may fall short of a clinical cut-off for a specific diagnosis can be correctly recognised as experiencing considerable symptoms and as being at high risk of further problems.

However for clinical purposes it can be helpful to have 'labels' to characterise degree of severity relative to the population. Thus the following cut-off scores have been developed for defining mild/moderate/severe/extremely severe scores for each DASS scale.

Note: the severity labels are used to describe the full range of scores in the population, so 'mild' for example means that the person is above the population mean but probably still way below the typical severity of someone seeking help (ie it does not mean a mild level of disorder).

The individual DASS scores do not define appropriate interventions. They should be used in conjunction with all clinical information available to you in determining appropriate treatment for any individual.

¹Symptoms of psychological arousal

²The more cognitive, subjective symptoms of anxiety

DASS 21 SCORE

DEPRESSION SCORE	ANXIETY SCORE	STRESS SCORE

	Depression	Anxiety	Stress
Normal	0 - 4	0 - 3	0 - 7
Mild	5 - 6	4 - 5	8 - 9
Moderate	7 - 10	6 - 7	10 - 12
Severe	11 - 13	8 - 9	13 - 16
Extremely Severe	14 +	10 +	17 +

N.B. Please note that there are differences in scoring between this measure and the DASS 21 as published on the DASS website <http://www2.psy.unsw.edu.au/groups/dass/>

Study ID:
Date:

THE GENERAL HEALTH QUESTIONNAIRE GHQ28

Please read this carefully.

We should like to know if you have had any medical complaints and how your health has been in general, *over the past few weeks*. Please answer ALL the questions on the following pages simply by underlining the answer which you think most nearly applies to you. Remember that we want to know about present and recent complaints, not those that you had in the past.

It is important that you try to answer ALL the questions.

Thank you very much for your co-operation.

Have you recently

A1	been feeling perfectly well and in good health?	Better than usual	Same as usual	Worse than usual	Much worse than usual
A2	been feeling in need of a good tonic?	Not at all	No more than usual	Rather more than usual	Much more than usual
A3	been feeling run down and out of sorts?	Not at all	No more than usual	Rather more than usual	Much more than usual
A4	felt that you are ill?	Not at all	No more than usual	Rather more than usual	Much more than usual
A5	been getting any pains in your head?	Not at all	No more than usual	Rather more than usual	Much more than usual
A6	been getting a feeling of tightness or pressure in your head?	Not at all	No more than usual	Rather more than usual	Much more than usual
A7	been having hot or cold spells?	Not at all	No more than usual	Rather more than usual	Much more than usual
<hr/>					
B1	lost much sleep over worry?	Not at all	No more than usual	Rather more than usual	Much more than usual
B2	had difficulty in staying asleep once you are off?	Not at all	No more than usual	Rather more than usual	Much more than usual
B3	felt constantly under strain?	Not at all	No more than usual	Rather more than usual	Much more than usual
B4	been getting edgy and bad-tempered?	Not at all	No more than usual	Rather more than usual	Much more than usual
B5	been getting scared or panicky for no good reason?	Not at all	No more than usual	Rather more than usual	Much more than usual
B6	found everything getting on top of you?	Not at all	No more than usual	Rather more than usual	Much more than usual
B7	been feeling nervous and strung-up all the time?	Not at all	No more than usual	Rather more than usual	Much more than usual

Please turn over

Have you recently

C1	been managing to keep yourself busy and occupied?	More so than usual	Same as usual	Rather less than usual	Much less than usual
C2	been taking longer over the things you do?	Quicker than usual	Same as usual	Longer than usual	Much longer than usual
C3	felt on the whole you were doing things well?	Better than usual	About the same	Less well than usual	Much less well
C4	been satisfied with the way you've carried out your task?	More satisfied	About same as usual	Less satisfied than usual	Much less satisfied
C5	felt that you are playing a useful part in things?	More so than usual	Same as usual	Less useful than usual	Much less useful
C6	felt capable of making decisions about things?	More so than usual	Same as usual	Less so than usual	Much less capable
C7	been able to enjoy your normal day-to-day activities?	More so than usual	Same as usual	Less so than usual	Much less than usual

D1	been thinking of yourself as a worthless person?	Not at all	No more than usual	Rather more than usual	Much more than usual
D2	felt that life is entirely hopeless?	Not at all	No more than usual	Rather more than usual	Much more than usual
D3	felt that life isn't worth living?	Not at all	No more than usual	Rather more than usual	Much more than usual
D4	thought of the possibility that you might make away with yourself?	Definitely not	I don't think so	Has crossed my mind	Definitely have
D5	found at times you couldn't do anything because your nerves were too bad?	Not at all	No more than usual	Rather more than usual	Much more than usual
D6	found yourself wishing you were dead and away from it all?	Not at all	No more than usual	Rather more than usual	Much more than usual
D7	found that the idea of taking your own life kept coming into your mind?	Definitely not	I don't think so	Has crossed my mind	Definitely has

A

B

C

D

Total

Profile of Mood States

Date _____

Subject Code No. _____

Directions: Describe HOW YOU FEEL RIGHT NOW by checking one space after each of the words listed below:

FEELING	Not at all	A little	Mod.	Quite a bit	Extremely
Friendly	1	2	3	4	5
Tense	1	2	3	4	5
Angry	1	2	3	4	5
Worn Out	1	2	3	4	5
Unhappy	1	2	3	4	5
Clear-headed	1	2	3	4	5
Lively	1	2	3	4	5
Confused	1	2	3	4	5
Sorry for things done	1	2	3	4	5
Shaky	1	2	3	4	5
Listless	1	2	3	4	5
Peeved	1	2	3	4	5
Considerate	1	2	3	4	5
Sad	1	2	3	4	5
Active	1	2	3	4	5
On edge	1	2	3	4	5
Grouchy	1	2	3	4	5
Blue	1	2	3	4	5
Energetic	1	2	3	4	5
Panicky	1	2	3	4	5
Hopeless	1	2	3	4	5
Relaxed	1	2	3	4	5
Unworthy	1	2	3	4	5
Spiteful	1	2	3	4	5
Sympathetic	1	2	3	4	5
Uneasy	1	2	3	4	5
Restless	1	2	3	4	5
Unable to concentrate	1	2	3	4	5
Fatigued	1	2	3	4	5

FEELING	Not at all	A little	Mod.	Quite a bit	Extremely
Helpful	1	2	3	4	5
Annoyed	1	2	3	4	5
Discouraged	1	2	3	4	5
Resentful	1	2	3	4	5
Nervous	1	2	3	4	5
Lonely	1	2	3	4	5
Miserable	1	2	3	4	5
Muddled	1	2	3	4	5
Cheerful	1	2	3	4	5
Bitter	1	2	3	4	5
Exhausted	1	2	3	4	5
Anxious	1	2	3	4	5
Ready to fight	1	2	3	4	5
Good-natured	1	2	3	4	5
Gloomy	1	2	3	4	5
Desperate	1	2	3	4	5
Sluggish	1	2	3	4	5
Rebellious	1	2	3	4	5
Helpless	1	2	3	4	5
Weary	1	2	3	4	5
Bewildered	1	2	3	4	5
Alert	1	2	3	4	5
Deceived	1	2	3	4	5
Furious	1	2	3	4	5
Effacious	1	2	3	4	5
Trusting	1	2	3	4	5
Full of pep	1	2	3	4	5
Bad-tempered	1	2	3	4	5
Worthless	1	2	3	4	5
Forgetful	1	2	3	4	5
Carefree	1	2	3	4	5
Terrified	1	2	3	4	5
Guilty	1	2	3	4	5
Vigorous	1	2	3	4	5
Uncertain about things	1	2	3	4	5
Bushed	1	2	3	4	5

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

Please read each question and assess your feelings, for the **last two weeks**, and **circle the number on the scale for each question that gives the best answer for you**

	Excellent	Very good	Good	Fair	Poor
1. In general, would you say your health is:	1	2	3	4	5

2. Compared to one year ago , how would you rate your health in general now ?	
Much better now than one year ago	1
Somewhat better now than one year ago	2
About the same	3
Somewhat worse now than one year ago	4
Much worse now than one year ago	5

The following items are about activities you might do during a typical day. Does **your health now limit you** in these activities? If so, how much?

(Circle One Number on Each Line)

	Yes, Limited a Lot	Yes, Limited a Little	No, Not limited at All
3. Vigorous activities , such as running, lifting heavy objects, participating in strenuous sports	[1]	[2]	[3]
4. Moderate activities , such as moving a table, pushing a vacuum cleaner, bowling, or playing golf	[1]	[2]	[3]
5. Lifting or carrying groceries	[1]	[2]	[3]
6. Climbing several flights of stairs	[1]	[2]	[3]
7. Climbing one flight of stairs	[1]	[2]	[3]
8. Bending, kneeling, or stooping	[1]	[2]	[3]
9. Walking more than a mile	[1]	[2]	[3]
10. Walking several blocks	[1]	[2]	[3]
11. Walking one block	[1]	[2]	[3]

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

12. Bathing or dressing yourself	[1]	[2]	[3]
----------------------------------	-----	-----	-----

During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health**?

(Circle One Number on Each Line)

	Yes	No
13. Cut down the amount of time you spent on work or other activities	1	2
14. Accomplished less than you would like	1	2
15. Were limited in the kind of work or other activities	1	2
16. Had difficulty performing the work or other activities (for example, it took extra effort)	1	2

During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)? (Circle One Number on Each Line)

	Yes	No
17. Cut down the amount of time you spent on work or other activities	1	2
18. Accomplished less than you would like	1	2
19. Didn't do work or other activities as carefully as usual	1	2

20. During the **past 4 weeks**, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

(Circle One Number)

Not at all 1

Slightly 2

Moderately 3

Quite a bit 4

Extremely 5

21. How much **bodily** pain have you had during the **past 4 weeks**?

(Circle One Number)

None 1

Very mild 2

Mild 3

Moderate 4

Severe 5

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

Very severe 6

22. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)?

(Circle One Number)

Not at all 1

A little bit 2

Moderately 3

Quite a bit 4

Extremely 5

These questions are about how you feel and how things have been with you **during the past 4 weeks**. For each question, please give the one answer that comes closest to the way you have been feeling.

How much of the time during the **past 4 weeks** . . .**(Circle One Number on Each Line)**

	All of the Time	Most of the Time	A Good Bit of the Time	Some of the Time	A Little of the Time	None of the Time
23. Did you feel full of pep?	1	2	3	4	5	6
24. Have you been a very nervous person?	1	2	3	4	5	6
25. Have you felt so down in the dumps that nothing could cheer you up?	1	2	3	4	5	6
26. Have you felt calm and peaceful?	1	2	3	4	5	6
27. Did you have a lot of energy?	1	2	3	4	5	6
28. Have you felt downhearted and blue?	1	2	3	4	5	6
29. Did you feel worn out?	1	2	3	4	5	6
30. Have you been a happy person?	1	2	3	4	5	6
31. Did you feel tired?	1	2	3	4	5	6

Date: _____

Patient Study ID: _____

A naturalistic study of herbal medicine for self-reported depression and/or anxiety

32. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)?

(Circle One Number)

All of the time 1

Most of the time 2

Some of the time 3

A little of the time 4

None of the time 5

How TRUE or FALSE is each of the following statements for you.

(Circle One Number on Each Line)

	Definitely True	Mostly True	Don't Know	Mostly False	Definitely False
33. I seem to get sick a little easier than other people	1	2	3	4	5
34. I am as healthy as anybody I know	1	2	3	4	5
35. I expect my health to get worse	1	2	3	4	5
36. My health is excellent	1	2	3	4	5

STUDY ID: _____ DATE: _____

Initial visit	Follow-up 1	Follow-up 2
---------------	-------------	-------------

Please mark constituents of a combination tincture with a *

[illegible]